Parkinson’s resources

RCSLT guidance and statements

- Apps technology guidance
- Augmentative and alternative communication (AAC)
- Dementia
- Dysphagia/Eating, drinking and swallowing needs
- Eating and drinking with acknowledged risks
- End-of-life care
- Evidence based practice
- FEES
- Mental health adults
- Progressive neurological disorders
- Self-managed computer therapy
- Stammering and cluttering
- Technology
- Telehealth
- Voice

Parkinson's UK guidance and resources

For professionals

- AHPs competency framework for progressive neurological conditions
- Anticipatory care plan
- Caring for your patient with Parkinson's booklet
- Clinically assisted nutrition and hydration (CANH) Guidance – British Medical Association (BMA)
- Get It On Time – Parkinson's medication for staff who don't administer medications (eLearning)
- 'Nil by mouth' medication dose calculators and guidelines
- Parkinson's UK tech guide
- Parkinson's: managing palliative and end of life care (eLearning)
- Providing better support to people with Parkinson's in the community and preventing unnecessary hospital admissions
- Screening swallowing problems in Parkinson's: nurse in charge and ward staff guide
- Speech and language therapists: Parkinson's essentials (eLearning)
- Speech and language therapy Parkinson's clinical excellence network
- Swallowing screening tool for patients with Parkinson's in the emergency department (SSPED)
- Therapist induction programme
- Therapists learning library: speech and language therapy (eLearning)
- Time critical medication and Get It On Time campaign resources

For service users

- Advanced Parkinson's
- Eating, swallowing and managing saliva
- Mouth and dental issues
- Parkinson's UK tech guide
- Speech and communication problems
- Speech and language therapy
- Thinking and memory changes

Guidelines and eLearning

NICE guidelines

- **NICE guideline [NG71] Parkinson's disease in adults (2017)**
- **NICE guidelines [NG252] Rehabilitation for chronic neurological disorders including acquired brain injury (2025)**

Other guidelines

- Ministry of Health, Social Services and Equality (2014) *Clinical practice guideline for the management of patients with Parkinson's disease*. Zaragoza: Institute of Health Sciences Aragon. Available at: **https://portal.guiasalud.es/wp-content/uploads/2018/12/GPC_546_Parkinson_IACS_comp_en.pdf** (Accessed 21 November 2024)
- National Confidential Enquiry into Patient Outcome and Death (2021) *Hard to Swallow? A review of the quality of dysphagia care provided to patients with Parkinson's disease aged 16 years and over who were admitted to hospital when acutely unwell*. Available at: **https://www.ncepod.org.uk/2021dysphagia/Dysphagia%20in%20people%20with%20PD_Hard%20to%** (Accessed 4 November 2025)

eLearning

- **Pre-registration eating, drinking and swallowing eLearning**. Case study 1 is a service user with Parkinson's.
- **Multiple system atrophy healthcare professional training programme**

Further reading

Caregivers

- Witt, K., Stümpel, J. and Woopen, C. (2017). 'Caregiver burden and the medical ethos.' *Medicine, Health Care and Philosophy* 20(3), 383–391. **https://doi.org/10.1007/s11019-017-9757-2**

Communication assessment

- Rusz, J., Tykalova, T., Ramig, L.O. and Tripoliti, E. (2021). 'Guidelines for speech recording and acoustic analyses in dysarthrias of movement disorders'. *Movement Disorders: Official Journal of the Movement Disorder Society* 36(4), 803–814. **https://doi.org/10.1002/mds.28465**

Communication treatments

- Antonsson, M., Johansson, K., Dalemo, A. B., Axelsson, C. I., Burge, A., Lesueur, U. and Hartelius, L. (2024). 'Effect of expiratory muscle strength training on voice and speech: an exploratory study in persons with Parkinson's disease or multiple sclerosis'. *International Journal of Speech-Language Pathology* 26:4, 475–492. **https://doi.org/10.1080/17549507.2023.2243402**
- Miller, N., Noble, E., Jones, D., Allcock, L. and Burn, D. J. (2008). 'How do I sound to me? Perceived changes in communication in Parkinson's disease'. *Clinical Rehabilitation* 22, 14–22. **https://doi.org/10.1177/0269215507079096**
- Ramig, L. O., Sapir, S., Countryman, S., Pawlas, A. A., O'Brien, C., Hoehn, M. and Thimpson, L. L. (2001). 'Intensive voice treatment (LSVT®) for patients with Parkinson's disease: a 2 year follow up'. *Journal of Neurology, Neurosurgery & Psychiatry* 71, 493–498. Available at: **https://jnnp.bmj.com/content/71/4/493.info**
- Rusz, J., Tykalová, T., Klempír, J., Čmejla, R. and Růžička, E. (2016). 'Effects of dopaminergic replacement therapy on motor speech disorders in Parkinson's disease: longitudinal follow-up study on previously untreated patients'. *Journal of Neural Transmission* 123, 379–387. **https://doi.org/10.1007/s00702-016-1515-8**
- Stegemöller, E. L., Zaman, A., Shelley, M., Patel, B., Kouzi, A. E. and Shirtcliff, E. A. (2021). 'The effects of group therapeutic singing on cortisol and motor symptoms in persons with Parkinson's disease'. *Frontiers in Human Neuroscience* 15, 703382.

https://doi.org/10.3389/fnhum.2021.703382

- Stegemoller, E., Forsyth, E., Patel, B. and Elkoizi, A. (2022). 'Group therapeutic singing improves clinical motor scores in persons with Parkinson's disease'. *BMJ Neurology Open* 4(2), e000286. **https://doi.org/10.1136/bmjno-2022-000286**
- Steurer, H., Albrecht, F., Gustafsson, J. K., Razi, A., Franzen, E. and Shalling, E. (2024). 'Speech and neuroimaging effects following HiCommunication: a randomized controlled group intervention trial in Parkinson's disease'. *Brain Communications* 6(4), fcae235. **https://doi.org/10.1093/braincomms/fcae235**
- Tamplin, J., Morris, M. E., Baker, F. A., Sousa, T. V., Haines, S., Dunn, S., Tull, V. and Vogel, A. P. (2021). 'ParkinSong Online: protocol for a telehealth feasibility study of therapeutic group singing for people with Parkinson's disease'. *BMJ Open* 11(12), e058953. **https://doi.org/10.1136/bmjopen-2021-058953**
- Tamplin, J., Morris, M. E., Marigliani, C., Baker, F. A., Noffs, G. and Vogel, A. P. (2020) ParkinSong: outcomes of a 12-month controlled trial of therapeutic singing groups in Parkinson's disease. *Journal of Parkinson's Disease* 10(3), 1217–1230. **https://doi.org/10.3233/JPD-191838**

Communication treatment for PSP or MSA

- Sale, P., Castiglioni, D., De Pandis, M. F., Torti, M., Dall'armi, V., Radicati, F. G. and Stocchi, F. (2015). 'The Lee Silverman Voice Treatment (LSVT®) speech therapy in progressive supranuclear palsy'. *European Journal of Physical and Rehabilitation Medicine* 51(5), 569–574. Available at: **https://pubmed.ncbi.nlm.nih.gov/26138088**

Digital

- Arora, S., Baig, F., Lo, C., Barber, T. R., Lawton, M. A., Zhan, A., Rolinski, M., Ruffmann, C., Klein, J. C., Rumbold, J., Louvel, A., Zaiwalla, Z., Lennox, G., Quinnell, T., Dennis, G., Wade-Martins, R., Ben-Shlomo, Y., Little, M. A. and Hu, M. T. (2018). 'Smartphone motor testing to distinguish idiopathic REM sleep behavior disorder, controls, and PD'. *Neurology* 91(16), e1528–e1538. **https://doi.org/10.1212/WNL.0000000000006366**
- Omberg, L., Neto, E. C., Perumal, T. M., Pratap, A, Tediarjo, A., Adams, J., Bloem, B. R., Bot, B. M., Elson, M., Goldman, S. M., Kellen, M. R., Kieburtz, K, Klein, Little, M. A., Schneider, R., Suver, C., Tarolli, C., Tanner, C. M., Trister, A. D., Wilbanks, J., Dorsey, E. R. and Mangravite, L. M. (2022). 'Remote smartphone monitoring of Parkinson's disease and individual response to therapy'. *Nature Biotechnology* 40(4), 480–487. **https://doi.org/10.1038/s41587-021-00974-9**

- Zhan, A., Mohan, S., Tarolli, C., Schneider, R. B., Adams, J. L., Sharma, S., Elson, M. J., BA, Spear, K. L., Glidden, A. M., Little, M. A., Terzis, A., Dorsey, E. R. and Saria, S. (2018). 'Using smartphones and machine learning to quantify Parkinson disease severity: the mobile Parkinson disease score'. *Journal of American Medical Association Neurology* 75(7), 876–880. **https://doi.org/10.1001%2Fjamaneurol.2018.0809**

Eating, drinking and swallowing

- Angulo, J., Fleury, V., Péron, J. A., Penzenstadler, L., Zullino, D. and Krack, P. (2019). 'Shame in Parkinson's disease: a review'. *Journal of Parkinson's Disease* 9(3), 489–499. **https://doi.org/10.3233/jpd-181462**
- Baijens, L. W. J., Speyer, R., Passos, V. L., Pilz, W., Roodenburg, N. and Clavé, P. (2012). 'The effect of surface electrical stimulation on swallowing in dysphagic Parkinson patients'. *Dysphagia* 27(4), pp528–37. **https://doi.org/10.1007/s00455-011-9387-4**
- Baijens, L. W. J., Speyer, R., Passos, V. L., Pilz, W., van der Kruis, J., Haarmans, S. and Desjardins-Rombouts, C. (2013). 'Surface electrical stimulation in dysphagic Parkinson patients: a randomized clinical trial'. *The Laryngoscope* 123(11), E38–E44. **https://doi.org/10.1002/lary.24119**
- Buhmann, C., Flügel, T., Bihler, M., Gerloff, C., Niessen, A., Hidding, U., Nienstedt, J. C. and Pflug, C. (2019). 'Is the Munich dysphagia Test–Parkinson's disease (MDT-PD) a valid screening tool for patients at risk for aspiration'? *Parkinsonism & Related Disorders* 61, pp138–43. **https://doi.org/10.1016/j.parkreldis.2018.10.031**
- Bushmann, M., Dobmeyer, S. M., Leeker, L. and Perlmutter, J. S. (1989). Swallowing abnormalities and their response to treatment in Parkinson's disease. *Neurology* 39(10), pp1309–14. **https://doi.org/10.1212/wnl.39.10.1309**
- DePippo, K. L., Holas, M. A. and Reding, M. J. (1992). 'Validation of the 3-oz water swallow test for aspiration following stroke'. *Archives of Neurology* 49(12), pp1259–61. **https://doi.org/10.1001/archneur.1992.00530360057018**
- Fabbri, M., Coelho, M., Abreu, D., Guedes, L. C., Rosa, M. M., Godinho, C., Cardoso, R., Guimaraes, I., Antonini, A., Zibetti, M., Lopiano, L. and Ferreira, J. J. (2019). 'Dysphagia predicts poor outcome in late-stage Parkinson's disease'. *Parkinsonism & Related Disorders* 64, pp73–81. **https://doi.org/10.1016/j.parkreldis.2019.02.043**
- Fasano, A., Visanji, N. P., Liu, L. W. C., Lang, A. E. and Pfeiffer, R. F. (2015). 'Gastrointestinal dysfunction in Parkinson's disease'. *The Lancet Neurology* 14(6), 625–639. **https://doi.org/10.1016/s1474-4422(15)00007-1**
- Kalf, J. G., de Swart, B. J. M., Bloem, B. R. and Munneke, M. (2012). 'Prevalence of oropharyngeal dysphagia in Parkinson's disease: a meta-analysis'. *Parkinsonism & Related Disorders* 18(4)3,

11–5. **https://doi.org/10.1016/j.parkreldis.2011.11.006**

- Lam, K., Lam, F. K. Y., Lau KK, Chan, Y. K., Kan, E. Y. L., Woo, J., Wong, F. K. and Ko, A. (2007). 'Simple clinical tests may predict severe oropharyngeal dysphagia in Parkinson's disease'. *Movement Disorders: Official Journal of the Movement Disorder Society* 22(5), 640–4. **https://doi.org/10.1002/mds.21362**
- Lo, R. Y., Tanner, C. M., Albers, K. B., Leimpeter, A. D., Fross, R. D., Bernstein, A. L., McGuire, V., Quesenberry, C. P., Nelson, L. M. and Van Den Eeden, S. K. (2009). 'Clinical features in early Parkinson disease and survival'. *Archives of Neurology* 66(11), 1353–8. **https://doi.org/10.1001/archneurol.2009.221**
- Logemann, J. A., Gensler, G., Robbins, J. A., Lindblad, A. S., Brandt, D., Hind, J. A., Kosek, S., Dikeman, K., Kazandjian, M., Gramigna, G. D., Lundy, D., McGarvey-Toler, S., and Gardner, P. J. M. (2008). 'A randomized study of three interventions for aspiration of thin liquids in patients with dementia or Parkinson's disease'. *Journal of Speech, Language, and Hearing Research*, 51(1), 173–83. **https://doi.org/10.1044/1092-4388(2008/013)**
- Matison, R., Mayeux, Rosen, J. and Fahn, S. (1982). '"Tip-of-the-tongue" phenomenon in Parkinson disease'. *Neurology* 32(5), 567–70. **https://doi.org/10.1212/wnl.32.5.567**
- Nienstedt, J. C., Buhmann, C., Bihler, M., Niessen, A., Plaetke, R., Gerloff, C. and Pflug, C. (2018). 'Drooling is no early sign of dysphagia in Parkinson's disease'. *Neurogastroenterology & Motility* 30(4), e13259. **https://doi.org/10.1111/nmo.13259**
- Park, M. S., Choi, J. Y., Song, Y-J., Choi, H., Park, E-J. and Ji, E. S. (2019). 'Systematic review of behavioral therapy to improve swallowing functions of patients with Parkinson's Disease'. *Gastroenterology Nursing* 42(1), 65–78. **https://doi.org/10.1097/sga.0000000000000358**
- Pflug, C., Niessen, A., Buhmann, C. and Bihler, M. (2019). 'Swallowing speed is no adequate predictor of aspiration in Parkinson's disease'. *Neurogastroenterology & Motility* 31(12), e13713. **https://doi.org/10.1111/nmo.13713**
- Safarpour, D., Brooks, A., Smiley, A., Katzka, D. A., Shprecher, D. R., Greene, J.G., Pahwa, R., Troche, M. S., Kriegel, Z., Peron, E. P., Bryant, A., Ochoa, M., Fasano, A., Ramirez-Zamora, A., Acevedo, M., Blackwell, G. M., Pfeiffer, R. F., Parkman, H. P., Quigley, E. M. M. and Cloud, L. (2026) 'Consensus expert recommendations for management of dysphagia during hospital admission in Parkinson's disease', *Journal of Parkinson's Disease*, 16(1), pp. 16–35. **https://doi.org/10.1177/1877718X251410503**
- Sarkar, P., Cole, A., Scolding, N. J. and Rice, C. M. (2017). 'Percutaneous endoscopic gastrostomy tube insertion in neurodegenerative disease: a retrospective study and literature review'. *Clinical Endoscopy* 50(3), 270–278. **https://doi.org/10.5946/ce.2016.106**
- Simons, J. A., Fietzek, U. M., Waldmann, A., Warnecke, T., Schuster, T. and Ceballos Baumann, A. O. (2014). 'Development and validation of a new screening questionnaire for dysphagia in early stages of Parkinson's disease'. *Parkinsonism & Related Disorders* 20(9), 992–998. **https://doi.org/10.1016/j.parkreldis.2014.06.008**

- Tomita, S., Oeda, T., Umemura, A., Kohsaka, M., Park, K., Yamamoto, K., Sugiyama, H., and Sawada, H. (2018). 'Video-fluoroscopic swallowing study scale for predicting aspiration pneumonia in Parkinson's disease'. *PLOS One* 13(6), 1–14. **https://doi.org/10.1371%2Fjournal.pone.0197608**
- Troche, M. S., Curtis, J. A., Sevitz, J. S., Dakin, A. E., Perry, S. E., Borders, J. C., Grande, A. A., Mou, Y., Vanegas-Arroyave, N. and Hegland, K. W. (2022). 'Rehabilitating cough dysfunction in Parkinson's Disease: a randomized controlled trial'. *Movement Disorders: Official Journal of the Movement Disorder Society* 38(2), 201–211. **https://doi.org/10.1002/mds.29268**
- Yorkston, K., Baylor, C. and Britton, D. (2017). 'Speech versus speaking: the experiences of people with Parkinson's disease and implications for intervention'. *American Journal of Speech-Language Pathology* 26(2S), 561–568. **https://doi.org/10.1044/2017_ajslp-16-0087**

Extended delivery of LSVT@LOUD

- Spielman, J., Ramig, L., Mahler, L., Halpern, A. and Gavin, W. J. (2007). 'Effects of an extended version of the Lee Silverman Voice Treatment on voice and speech in Parkinson's disease'. *American Journal of Speech-Language Pathology* 16(2), 95–107. **https://doi.org/10.1044/1058-0360(2007/014)**

General

- De Pablo-Fernandez, E., Courtney, R., Holton, J. L. and Warner, T. W. (London, United Kingdom) (2016). 'Hypothalamic alpha-synuclein pathology and its relation to nonmotor symptoms and disease progression in Parkinson's disease'. *Movement Disorders: Official Journal of the Movement Disorder Society* 31(Suppl. 2), S96. Available at **https://www.mdsabstracts.org/abstract/hypothalamic-alpha-synuclein-pathology-and-its-relation-to-non-motor-symptoms-and-disease-progression-in-parkinsons-disease/**
- Gang, M., Nishio, Y., Baba, T., Takeda, A. and Mori, E. (Sendai, Japan) (2016). 'Correlations among motor, cognitive, and neuropsychiatric symptoms in Parkinson's disease without dementia'. *Movement Disorders: Official Journal of the Movement Disorder Society* 31(Suppl. 2), pS96.
- MacMahon, D. G. and Thomas, S. (1998). 'Practical approach to quality of life in Parkinson's disease: the nurse's role'. *Journal of Neurology* 245(1), S19–22. **https://doi.org/10.1007/pl00007732**
- Rodriguez-Blazquez, C., Rizos, A., Chaudhuri, K. R., Martinez-Martin, P., NILS, EUROPAR and the IPMDS Non Motor PD Study Groups (Madrid, Spain) (2016). 'Non-motor symptoms trajectory in

Parkinson's disease: magnitude and importance of the change'. *Movement Disorders: Official Journal of the Movement Disorder Society* 31(Suppl. 2), pS96. Available at: **https://www.mdsabstracts.org/abstract/non-motor-symptoms-trajectory-in-parkinsons-disease-magnitude-and-importance-of-the-change/**

- Rusz, J., Hlavnička, J., Novotný, M., Tykalova, T., Pelletier, A., Montplaisir, J., Gagnon, F., Dušek, P., Galbiati, A., Marelli, S., Timm, P. C., Teigen, L. N., Janzen, A., Habibi, M., Stefani, A., Holzknecht, E., Seppi, K., Evangelista, E., Rassu, A. L., Dauvilliers, Y., Högl, B., Oertel, W., St. Louis, E. K., Ferini-Strambi, L., Růžička. E., Postuma, R. B. and Šonka, K. (2021). 'Speech biomarkers in rapid eye movement sleep disorder and Parkinson disease'. *Annals of Neurology* 90(1), 62–75. **https://doi.org/10.1002/ana.26085**
- Rusz, J., Hlavnička, J., Tykalová, T., Novotný, M., Dušek, P., Šonka, K. and Růžička, E. (2018). 'Smartphone allows capture of speech abnormalities associated with high risk of developing Parkinson's disease'. *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, (6)8), 1495–1507. **https://doi.org/10.1109/TNSRE.2018.2851787**
- Sharpe, G., Macerollo, A., Fabbri, M. and Tripoliti, E. (2020). 'Non-pharmacological treatment challenges in early Parkinson's disease for axial and cognitive symptoms: a mini review'. *Frontiers in Neurology* 11(576569). **https://doi.org/10.3389/fneur.2020.576569**
- Tong, T. E., Ng, M. L. and Yan, N. (Hong Kong, Hong Kong) (2016). 'Impact of expiratory muscle strength training (EMST) on phonatory performance in Parkinson's patients'. *Movement Disorders: Official Journal of the Movement Disorder Society* 31(Suppl. 2), pS96.

Intensity of intervention

- Baumann, A., Nebel, A., Granert, O., Giehl, K., Wolff, S., Schmidt, W., Baasch, C., Schmidt, G., Witt, K., Deuschl, G., Hartwigsen, G., Zeuner, K. E. and van Eimeren, T. (2018). 'Neural correlates of hypokinetic dysarthria and mechanisms of effective voice treatment in Parkinson disease'. *Neurorehabilitation and Neural Repair* 32(12), 1055–1066. **https://doi.org/10.1177/1545968318812726**
- Levy, E. S., Moya-Galé, G., Chang, Y. H. M., Freeman, K., Forrest, K., Brin, M. F. and Ramig, L. A. (2020). 'The effects of intensive speech treatment on intelligibility in Parkinson's disease: a randomized controlled trial'. *eClinicalMedicine* 24, 100429. **https://doi.org/10.1016%2Fj.eclinm.2020.100429**
- Narayana, S., Franklin, C., Peterson, E., Hunter, E. J., Robin, D. A., Halpern, A., Spielman, J., Fox, P. T. and Ramig, L. O. (2022). 'Immediate and long-term effects of speech treatment targets and intensive dosage on Parkinson's disease dysphonia and the speech motor network: randomized controlled trial'. *Human Brain Mapping* 43(7), 2328–2347. **https://doi.org/10.1002/hbm.25790**

- Ramig, L. O., Halpern, A., Spielman, J., Fox, C. and Freeman, K. (2018). 'Speech treatment in Parkinson's disease: randomized controlled trial (RCT)'. *Movement Disorders: Official Journal of the Movement Disorder Society 33*(11), 1777–1791. **https://doi.org/10.1002/mds.27460**
- Schulz, G., Halpern, A., Spielman, J., Ramig, L., Panzer, I., Sharpley, A. and Freeman, K. (2021). 'Single word intelligibility of individuals with Parkinson's disease in noise: pre-specified secondary outcome variables from a randomized control trial (RCT) comparing two intensive speech treatments (LSVT LOUD vs. LSVT ARTIC)'. *Brain Sciences* 11(7), 857. **http://dx.doi.org/10.3390/brainsci11070857**

Models of care

- Tönges, L., Buhmann, C., Eggers, C., Lorenzi, S., Warnecke, T., for the German Parkinson guideline group. (2024). 'Guideline "Parkinson's disease" of the German Society of Neurology (Deutsche Gesellschaft für Neurologie): concepts of care'. *Journal of Neurology* 6. **https://doi.org/10.1007/s00415-024-12546-3**

Saliva

- Cardoso, F. (2018). 'Botulinum toxin in parkinsonism: the when, how, and which for botulinum toxin injections'. *Toxicon* 147, 107–110. **https://doi.org/10.1016/j.toxicon.2017.08.018**
- Dallal-York, J. and Troche, M. S. (2024). 'Hypotussic cough in persons with dysphagia: biobehavioural interventions and pathways to clinical implementation'. *Frontiers in Rehabilitation Science* 5. **https://doi.org/10.3389/fresc.2024.1394110**
- Limbrock, G. J., Fischer-Brandies, H. and Avalle, C. (1991). 'Castillo-Morales' orofacial therapy: treatment of 67 children with Down syndrome'. *Developmental Medicine & Child Neurology* 33(4), 296–303. **https://doi.org/10.1111/j.1469-8749.1991.tb14880.x**
- McNaney, R., Miller, N., Vines, J., Olivier, P., Ladha, K., Jackson, D. and Walker, R. (2019). 'The feasibility and acceptability of using a novel wrist worn cueing device to self-manage drooling problems in people with Parkinson's disease: a pilot study'. *Journal of Rehabilitation and Assistive Technologies Engineering*, 6, 1–11. **https://doi.org/10.1177/2055668319852529**
- Merello, M. (2008). 'Sialorrhoea and drooling in patients with Parkinson's disease'. *Drugs & Aging* 25, 1007–1009. **https://doi.org/10.2165/0002512-200825120-00003**
- Morgante, F., Bavikatte, G., Anwat, F. and Mohamed, B. (2019). 'The burden of sialorrhoea in chronic neurological conditions: current treatment options and the role of incobotulinumtoxinA (Xeomin®)'. *Therapeutic Advances in Neurological Disorders*, 12, 1–21. **https://doi.org/10.1177/1756286419888601**

- Seppi, K., Ray Chaudhuri, K., Coelho, M., Fox, S. H., Katzenschlager, R., Perez Lloret, S., Weintraub, D., Sampaio, C. and the collaborators of the Parkinson's Disease Update on Non-Motor Symptoms Study Group on behalf of the Movement Disorders Society Evidence-Based Medicine Committee (2019). 'Update on treatments for nonmotor symptoms of Parkinson's disease–an evidence-based medicine review'. *Movement Disorders: Official Journal of the Movement Disorder Society* 34(2), 180–198. **https://doi.org/10.1002/mds.27602**
- South, A. R., Somers, A. M. and Jog, A. S. (2010). 'Gum chewing improves swallow frequency and latency in Parkinson patients: a preliminary study'. *Neurology* 74, 1198–1202. **https://doi.org/10.1212/WNL.0b013e3181d9002b**
- Wilmington healthcare (2021). *Sialorrhoea: care pathway*. Available at: **https://hsjinformation.co.uk/sites/default/files/2024-07/Development-of-an-Integrated-Care-Pathway-for-Sialorrhoea-Wilmington-Healthcare-Dec-21.pdf** (Accessed 24 October 2025)

Speech and voice

- Brabenec, L., Klobusiakova, P., Simko, P., Kostalova, M., Mekyska, J. and Rektorova, I. (2021). 'Non-invasive brain stimulation for speech in Parkinson's disease: a randomized controlled trial'. *Brain Stimulation* 14(3), 571–578. **https://doi.org/10.1016/j.brs.2021.03.010**

Swallowing assessment tools

- Nienstedt, J. C., Bihler, M., Niessen, A., Plaetke, R., Pötter-Nerger, M., Gerloff, C., Buhmann, C., and Pflug, C. (2019). 'Predictive clinical factors for penetration and aspiration in Parkinson's disease'. *Neurogastroenterology & Motility* 31(3), e13524. **https://doi.org/10.1111/nmo.13524**
- Pflug, C., Bihler, M., Emich, K., Niessen, A., Nienstedt, J. C., Flügel, T., Koseki, J-C., Plaetke, R., Hidding, U., Gerloff, C. and Buhmann, C. (2018). 'Critical dysphagia is common in Parkinson disease and occurs even in early stages: a prospective cohort study'. *Dysphagia* 33, 41-50. **https://doi.org/10.1007/s00455-017-9831-1**
- Pflug, C., Niessen, A., Buhmann, C. and Bihler, M. (2019). 'Swallowing speed is no adequate predictor of aspiration in Parkinson's disease'. *Neurogastroenterology & Motility* 31(12), e13713. **https://doi.org/10.1111/nmo.13713**
- Suttrup, I. and Warnecke, T. (2016). 'Dysphagia in Parkinson's disease'. *Dysphagia*, 31(1), 24–32. **https://doi.org/10.1007/s00455-015-9671-9**
- Warnecke, T., Labeit, B., Schroeder, J., Reckels, A., Ahring, S., Lapa, S., Muhle, P., Suntrup-Kruegar, S. and Dziewas, R. (2021). 'Neurogenic dysphagia: systematic review and proposal of a

classification system'. *Neurology*, 96, e876–e889. **https://doi.org/10.1212/WNL.0000000000011350**

Swallowing treatments

- Athukorala, R. P., Jones, R. D., Sella, O. and Huckabee, M. L. (2014). 'Skill training for swallowing rehabilitation in patients with Parkinson's disease'. *Archives of Physical Medicine and Rehabilitation*, 95(7), 1374–1382. **https://doi.org/10.1016/j.apmr.2014.03.001**
- Baijens, L. W. K., Speyer, R., Passos, V. L., Pilz, W., van der Kruis, J., Haarmans, S. and Desjardins-Rombouts, C. (2013). 'Surface electrical stimulation in dysphagic parkinson patients: a randomized control trial'. *The Laryngoscope* 123(11), ppe38–e44. **https://doi.org/10.1002/lary.24119**
- Borders, J. C., Sevitz, J. S., Curtis, J. A., Vanegas-Arroyave, N. and Troche, M. S. (2023). 'Quantifying impairment in swallowing safety and efficiency in progressive supranuclear palsy and Parkinson's disease'. *Dysphagia* 38, 1342–1352. **https://doi.org/10.1007/s00455-023-10560-7**
- Buhmann, C., Bihler, M., Emich, K., Hidding, U., Pötter-Nerger, M., Gerloff, C., Niessen, A., Flügel, T., Koseki, J-C., Nienstedt, J. C. and Pflug, C. (2019). 'Pill swallowing in Parkinson's disease: a prospective study based on flexible endoscopic examination of swallowing'. *Parkinsonism & Related Disorders* 62, 51–56. **https://doi.org/10.1016/j.parkreldis.2019.02.002**
- Logeman, J. A., Fisher, H. B., Boshes, B. and Blonsky, E. R. (1978). 'Frequency and cooccurrence of vocal tract dysfunctions in the speech of a large sample of Parkinson patients'. *The Journal of Speech and Hearing Disorders* 43(1) , 47–57. **https://doi.org/10.1044/jshd.4301.47**
- Logemann, J. A., Gensier, G., Robbins, J-A., Lindblad, A. S., Brandt, D., Hind, J. A., Kosek, S., Dikeman, K., Kazandjian, M., Gramigna, G. D., Lundy, D., McGarvey-Toler, S. and Gardner, P. J. M. (2008). 'A randomized study of three interventions for aspiration of thin liquids in patients with dementia or Parkinson's disease'. *Journal of Speech, Language, and Hearing Research* 51(1), 173–183. **https://doi.org/10.1044/1092-4388(2008/013)**
- Manor, Y., Mootanah, R., Freud, D., Giladi, N. and Cohen, J. T. (2013). 'Video-assisted swallowing therapy for patients with Parkinson's disease'. *Parkinsonism & Related Disorders* 19(2), 207–11. **http://dx.doi.org/10.1016/j.parkreldis.2012.10.004**
- Park, A., Jang, S-J., Kim, N-E., Kim, T-H., Sohn, Y. H., Kim, H. H. and Cho, S-R. (2022). 'Swallowing outcomes following voice therapy in multiple system atrophy with dysphagia: comparison of treatment efficacy with Parkinson's disease'. *Dysphagia* 37, 198–206. **https://doi.org/10.1007/s00455-021-10265-9**
- Royal College of Physicians (2021). *Supporting people who have eating and drinking difficulties*. 2nd ed. Available at: **https://www.rcp.ac.uk/media/fw5pmtvw/supporting-people-who-**

have-eating-and-drinking-difficulties_3_0.pdf (Accessed 20 November 2024)

- Troche, M. S., Okun, M. S., Rosenbek, J. C., Musson, N., Fernandez, H. H., Rodriguez, R., Romrell, J., Pitts, T., Wheeler-Hegland, K. M. and Sapienza, C. M. (2010). 'Aspiration and swallowing in Parkinson disease and rehabilitation with EMST: a randomized trial'. *Neurology* 75(21), 1912–1919. **https://doi.org/10.1212%2FWNL.0b013e3181fef115**

Technology-enhanced delivery of LSVT LOUD: Tele-practice

- Constantinescu, G., Theodoros, D., Russell, T., Ward, E., Wilson, S. and Wootton, R. (2011). 'Treating disordered speech and voice in Parkinson's disease online: a randomized controlled non-inferiority trial'. *International Journal of Language and Communication Disorders* 46(1), 1–16. **https://doi.org/10.3109/13682822.2010.484848**
- Covert, L. T., Slevin, J. T. and Hatterman, J. (2018). 'The effect of telerehabilitation on missed appointment rates'. *International Journal of Telerehabilitation* 10(2), 65–72. **https://doi.org/10.5195/ijt.2018.6258**
- Griffin, M., Bentley, J., Shanks, J. and Wood, C. (2018). 'The effectiveness of Lee Silverman Voice Treatment therapy issued interactively through an iPad device: a non-inferiority study'. *Journal of Telemedicine and Telecare* 24(3), 209–215. **https://doi.org/10.1177/1357633X17691865**
- Gustafsson, J. K., Södersten, M., Ternström, S. and Schalling, E. (2019). 'Long-term effects of Lee Silverman Voice Treatment on daily voice use in Parkinson's disease as measured with a portable voice accumulator'. *Logopedics Phoniatrics Vocology* 44(3), 124–133. **https://doi.org/10.1080/14015439.2018.1435718**
- Howell, S., Tripoliti, E. and Pring, T. (2009). 'Delivering the Lee Silverman Voice Treatment (LSVT) by web camera: a feasibility study'. *International Journal of Language & Communication Disorders* 44(3), 287–300. **https://doi.org/10.1080/13682820802033968**
- Saiyed, M., Hill, A. J., Russell, T. G., Theodoros, D. G. and Scuffham, P. (2020). 'Cost analysis of home telerehabilitation for speech treatment in people with Parkinson's disease'. *Journal of Telemedicine and Telecare* 28(7). **https://doi.org/10.1177/1357633X20948302**
- Theodoros, D. G., Hill, A. J. and Russell, R. G. (2016). 'Clinical and quality of life outcomes of speech treatment for Parkinson's disease delivered to the home via telerehabilitation: a noninferiority randomized controlled trial'. *American Journal of Speech-Language Pathology* 25(2), 214–232. **https://doi.org/10.1044/2015_ajslp-15-0005**
- Tindall, L. R., Huebner, R. A., Stemple, J. C. and Kleinert, H. L. (2008). 'Videophone-delivered voice therapy: a comparative analysis of outcomes to traditional delivery for adults with Parkinson's disease'. *Telemedicine and e-Health* 14(10), 1070–1077. **https://doi.org/10.1089/tmj.2008.0040**

The RCSLT develops guidance to promote good **clinical** and **professional** practice in line with HCPC standards. **Please read our statement on guidance** to understand how it is developed and how to use it.