

Parkinson's resources

RCSLT guidance and statements

- [Apps technology guidance](#)
- [Augmentative and alternative communication \(AAC\)](#)
- [Dementia](#)
- [Dysphagia/Eating, drinking and swallowing needs](#)
- [Eating and drinking with acknowledged risks](#)
- [End-of-life care](#)
- [Evidence based practice](#)
- [FEES](#)
- [Mental health adults](#)
- [Progressive neurological disorders](#)
- [Self-managed computer therapy](#)
- [Stammering and cluttering](#)
- [Technology](#)
- [Telehealth](#)
- [Voice](#)

Parkinson's UK guidance and resources

For professionals

- [AHPs competency framework for progressive neurological conditions](#)
- [Anticipatory care plan](#)
- [Caring for your patient with Parkinson's booklet](#)
- [Clinically assisted nutrition and hydration \(CANH\) Guidance - British Medical Association \(BMA\)](#)
- [Get It On Time - Parkinson's medication for staff who don't administer medications \(eLearning\)](#)
- ['Nil by mouth' medication dose calculators and guidelines](#)
- [Parkinson's UK tech guide](#)
- [Parkinson's: managing palliative and end of life care \(eLearning\)](#)
- [Providing better support to people with Parkinson's in the community and preventing unnecessary hospital admissions](#)
- [Screening swallowing problems in Parkinson's: nurse in charge and ward staff guide](#)
- [Speech and language therapists: Parkinson's essentials \(eLearning\)](#)
- [Speech and language therapy Parkinson's clinical excellence network](#)
- [Swallowing screening tool for patients with Parkinson's in the emergency department \(SSPED\)](#)
- [Therapist induction programme](#)
- [Therapists learning library: speech and language therapy \(eLearning\)](#)
- [Time critical medication and Get It On Time campaign resources](#)

For service users

- [Advanced Parkinson's](#)
- [Eating, swallowing and managing saliva](#)
- [Mouth and dental issues](#)
- [Parkinson's UK tech guide](#)
- [Speech and communication problems](#)
- [Speech and language therapy](#)
- [Thinking and memory changes](#)

Guidelines and eLearning

NICE guidelines

- [NICE guideline \[NG71\] Parkinson's disease in adults \(2017\)](#)
- [NICE guidelines \[NG252\] Rehabilitation for chronic neurological disorders including acquired brain injury \(2025\)](#)

Other guidelines

- Ministry of Health, Social Services and Equality (2014) *Clinical practice guideline for the management of patients with Parkinson's disease*. Zaragoza: Institute of Health Sciences Aragon. Available at: https://portal.guiasalud.es/wp-content/uploads/2018/12/GPC_546_Parkinson_IACS_comp_en.pdf (Accessed 21 November 2024)
- National Confidential Enquiry into Patient Outcome and Death (2021) *Hard to Swallow? A review of the quality of dysphagia care provided to patients with Parkinson's disease aged 16 years and over who were admitted to hospital when acutely unwell*. Available at: https://www.ncepod.org.uk/2021dysphagia/Dysphagia%20in%20people%20with%20PD_Hard%20to%20swallow (Accessed 4 November 2025)

eLearning

- [Pre-registration eating, drinking and swallowing eLearning](#). Case study 1 is a service user with Parkinson's.
- [Multiple system atrophy healthcare professional training programme](#)

Further reading

Caregivers

- Witt, K., Stümpel, J. and Woopen, C. (2017). 'Caregiver burden and the medical ethos.' *Medicine, Health Care and Philosophy* 20(3), 383–391. <https://doi.org/10.1007/s11019-017-9757-2>

Communication assessment

- Ruz, J., Tykalova, T., Ramig, L.O. and Tripoliti, E. (2021). 'Guidelines for speech recording and acoustic analyses in dysarthrias of movement disorders'. *Movement Disorders: Official Journal of the Movement Disorder Society* 36(4), 803–814. <https://doi.org/10.1002/mds.28465>

Communication treatments

- Antonsson, M., Johansson, K., Dalemo, A. B., Axelsson, C. I., Burge, A., Lesueur, U. and Hartelius, L. (2024). 'Effect of expiratory muscle strength training on voice and speech: an exploratory study in persons with Parkinson's disease or multiple sclerosis'. *International Journal of Speech-Language Pathology* 26:4, 475–492. <https://doi.org/10.1080/17549507.2023.2243402>
- Miller, N., Noble, E., Jones, D., Allcock, L. and Burn, D. J. (2008). 'How do I sound to me? Perceived changes in communication in Parkinson's disease'. *Clinical Rehabilitation* 22, 14–22. <https://doi.org/10.1177/0269215507079096>
- Ramig, L. O., Sapir, S., Countryman, S., Pawlas, A. A., O'Brien, C., Hoehn, M. and Thimpson, L. L. (2001). 'Intensive voice treatment (LSVT®) for patients with Parkinson's disease: a 2 year follow up'. *Journal of Neurology, Neurosurgery & Psychiatry* 71, 493–498. Available at: <https://jnnp.bmj.com/content/71/4/493.info>
- Ruz, J., Tykalová, T., Klempír, J., Čmejla, R. and Růžička, E. (2016). 'Effects of dopaminergic replacement therapy on motor speech disorders in Parkinson's disease: longitudinal follow-up study on previously untreated patients'. *Journal of Neural Transmission* 123, 379–387. <https://doi.org/10.1007/s00702-016-1515-8>
- Stegemöller, E. L., Zaman, A., Shelley, M., Patel, B., Kouzi, A. E. and Shirtcliff, E. A. (2021). 'The effects of group therapeutic singing on cortisol and motor symptoms in persons with

Parkinson's disease'. *Frontiers in Human Neuroscience* 15, 703382.

<https://doi.org/10.3389/fnhum.2021.703382>

- Stegemoller, E., Forsyth, E., Patel, B. and Elkoizi, A. (2022). 'Group therapeutic singing improves clinical motor scores in persons with Parkinson's disease'. *BMJ Neurology Open* 4(2), e000286.
<https://doi.org/10.1136/bmjno-2022-000286>
- Steurer, H., Albrecht, F., Gustafsson, J. K., Razi, A., Franzen, E. and Shalling, E. (2024). 'Speech and neuroimaging effects following HiCommunication: a randomized controlled group intervention trial in Parkinson's disease'. *Brain Communications* 6(4), fcae235.
<https://doi.org/10.1093/braincomms/fcae235>
- Tamplin, J., Morris, M. E., Baker, F. A., Sousa, T. V., Haines, S., Dunn, S., Tull, V. and Vogel, A. P. (2021). 'ParkinSong Online: protocol for a telehealth feasibility study of therapeutic group singing for people with Parkinson's disease'. *BMJ Open* 11(12), e058953.
<https://doi.org/10.1136/bmjopen-2021-058953>
- Tamplin, J., Morris, M. E., Marigliani, C., Baker, F. A., Noffs, G. and Vogel, A. P. (2020) ParkinSong: outcomes of a 12-month controlled trial of therapeutic singing groups in Parkinson's disease. *Journal of Parkinson's Disease* 10(3), 1217–1230.
<https://doi.org/10.3233/JPD-191838>

Communication treatment for PSP or MSA

- Sale, P., Castiglioni, D., De Pandis, M. F., Torti, M., Dall'armi, V., Radicati, F. G. and Stocchi, F. (2015). 'The Lee Silverman Voice Treatment (LSVT®) speech therapy in progressive supranuclear palsy'. *European Journal of Physical and Rehabilitation Medicine* 51(5), 569–574. Available at: <https://pubmed.ncbi.nlm.nih.gov/26138088>

Digital

- Arora, S., Baig, F., Lo, C., Barber, T. R., Lawton, M. A., Zhan, A., Rolinski, M., Ruffmann, C., Klein, J. C., Rumbold, J., Louvel, A., Zaiwalla, Z., Lennox, G., Quinnell, T., Dennis, G., Wade-Martins, R., Ben-Shlomo, Y., Little, M. A. and Hu, M. T. (2018). 'Smartphone motor testing to distinguish idiopathic REM sleep behavior disorder, controls, and PD'. *Neurology* 91(16), e1528–e1538.
<https://doi.org/10.1212/WNL.0000000000006366>
- Omberg, L., Neto, E. C., Perumal, T. M., Pratap, A., Tediario, A., Adams, J., Bloem, B. R., Bot, B. M., Elson, M., Goldman, S. M., Kellen, M. R., Kiebertz, K., Klein, Little, M. A., Schneider, R., Suver, C., Tarolli, C., Tanner, C. M., Trister, A. D., Wilbanks, J., Dorsey, E. R. and Mangravite, L. M.

- (2022). 'Remote smartphone monitoring of Parkinson's disease and individual response to therapy'. *Nature Biotechnology* 40(4), 480–487. <https://doi.org/10.1038/s41587-021-00974-9>
- Zhan, A., Mohan, S., Tarolli, C., Schneider, R. B., Adams, J. L., Sharma, S., Elson, M. J., BA, Spear, K. L., Glidden, A. M., Little, M. A., Terzis, A., Dorsey, E. R. and Saria, S. (2018). 'Using smartphones and machine learning to quantify Parkinson disease severity: the mobile Parkinson disease score'. *Journal of American Medical Association Neurology* 75(7), 876–880. <https://doi.org/10.1001%2Fjamaneurol.2018.0809>

Eating, drinking and swallowing

- Angulo, J., Fleury, V., Péron, J. A., Penzenstadler, L., Zullino, D. and Krack, P. (2019). 'Shame in Parkinson's disease: a review'. *Journal of Parkinson's Disease* 9(3), 489–499. <https://doi.org/10.3233/jpd-181462>
- Baijens, L. W. J., Speyer, R., Passos, V. L., Pilz, W., Roodenburg, N. and Clavé, P. (2012). 'The effect of surface electrical stimulation on swallowing in dysphagic Parkinson patients'. *Dysphagia* 27(4), pp528–37. <https://doi.org/10.1007/s00455-011-9387-4>
- Baijens, L. W. J., Speyer, R., Passos, V. L., Pilz, W., van der Kruis, J., Haarmans, S. and Desjardins-Rombouts, C. (2013). 'Surface electrical stimulation in dysphagic Parkinson patients: a randomized clinical trial'. *The Laryngoscope* 123(11), E38–E44. <https://doi.org/10.1002/lary.24119>
- Buhmann, C., Flügel, T., Bihler, M., Gerloff, C., Niessen, A., Hidding, U., Nienstedt, J. C. and Pflug, C. (2019). 'Is the Munich dysphagia Test–Parkinson's disease (MDT-PD) a valid screening tool for patients at risk for aspiration? *Parkinsonism & Related Disorders* 61, pp138–43. <https://doi.org/10.1016/j.parkreldis.2018.10.031>
- Bushmann, M., Dobmeyer, S. M., Leeker, L. and Perlmutter, J. S. (1989). Swallowing abnormalities and their response to treatment in Parkinson's disease. *Neurology* 39(10), pp1309–14. <https://doi.org/10.1212/wnl.39.10.1309>
- DePippo, K. L., Holas, M. A. and Reding, M. J. (1992). 'Validation of the 3-oz water swallow test for aspiration following stroke'. *Archives of Neurology* 49(12), pp1259–61. <https://doi.org/10.1001/archneur.1992.00530360057018>
- Fabbri, M., Coelho, M., Abreu, D., Guedes, L. C., Rosa, M. M., Godinho, C., Cardoso, R., Guimaraes, I., Antonini, A., Zibetti, M., Lopiano, L. and Ferreira, J. J. (2019). 'Dysphagia predicts poor outcome in late-stage Parkinson's disease'. *Parkinsonism & Related Disorders* 64, pp73–81. <https://doi.org/10.1016/j.parkreldis.2019.02.043>
- Fasano, A., Visanji, N. P., Liu, L. W. C., Lang, A. E. and Pfeiffer, R. F. (2015). 'Gastrointestinal dysfunction in Parkinson's disease'. *The Lancet Neurology* 14(6), 625–639.

[https://doi.org/10.1016/s1474-4422\(15\)00007-1](https://doi.org/10.1016/s1474-4422(15)00007-1)

- Kalf, J. G., de Swart, B. J. M., Bloem, B. R. and Munneke, M. (2012). 'Prevalence of oropharyngeal dysphagia in Parkinson's disease: a meta-analysis'. *Parkinsonism & Related Disorders* 18(4)3, 11–5. <https://doi.org/10.1016/j.parkreldis.2011.11.006>
- Lam, K., Lam, F. K. Y., Lau KK, Chan, Y. K., Kan, E. Y. L., Woo, J., Wong, F. K. and Ko, A. (2007). 'Simple clinical tests may predict severe oropharyngeal dysphagia in Parkinson's disease'. *Movement Disorders: Official Journal of the Movement Disorder Society* 22(5), 640–4. <https://doi.org/10.1002/mds.21362>
- Lo, R. Y., Tanner, C. M., Albers, K. B., Leimpeter, A. D., Fross, R. D., Bernstein, A. L., McGuire, V., Quesenberry, C. P., Nelson, L. M. and Van Den Eeden, S. K. (2009). 'Clinical features in early Parkinson disease and survival'. *Archives of Neurology* 66(11), 1353–8. <https://doi.org/10.1001/archneurol.2009.221>
- Logemann, J. A., Gensler, G., Robbins, J. A., Lindblad, A. S., Brandt, D., Hind, J. A., Kosek, S., Dikeman, K., Kazandjian, M., Gramigna, G. D., Lundy, D., McGarvey-Toler, S., and Gardner, P. J. M. (2008). 'A randomized study of three interventions for aspiration of thin liquids in patients with dementia or Parkinson's disease'. *Journal of Speech, Language, and Hearing Research*, 51(1), 173–83. [https://doi.org/10.1044/1092-4388\(2008\)013](https://doi.org/10.1044/1092-4388(2008)013)
- Matison, R., Mayeux, Rosen, J. and Fahn, S. (1982). "Tip-of-the-tongue" phenomenon in Parkinson disease'. *Neurology* 32(5), 567–70. <https://doi.org/10.1212/wnl.32.5.567>
- Nienstedt, J. C., Buhmann, C., Bihler, M., Niessen, A., Plaetke, R., Gerloff, C. and Pflug, C. (2018). 'Drooling is no early sign of dysphagia in Parkinson's disease'. *Neurogastroenterology & Motility* 30(4), e13259. <https://doi.org/10.1111/nmo.13259>
- Park, M. S., Choi, J. Y., Song, Y-J., Choi, H., Park, E-J. and Ji, E. S. (2019). 'Systematic review of behavioral therapy to improve swallowing functions of patients with Parkinson's Disease'. *Gastroenterology Nursing* 42(1), 65–78. <https://doi.org/10.1097/sga.0000000000000358>
- Pflug, C., Niessen, A., Buhmann, C. and Bihler, M. (2019). 'Swallowing speed is no adequate predictor of aspiration in Parkinson's disease'. *Neurogastroenterology & Motility* 31(12), e13713. <https://doi.org/10.1111/nmo.13713>
- Sarkar, P., Cole, A., Scolding, N. J. and Rice, C. M. (2017). 'Percutaneous endoscopic gastrostomy tube insertion in neurodegenerative disease: a retrospective study and literature review'. *Clinical Endoscopy* 50(3), 270–278. <https://doi.org/10.5946/ce.2016.106>
- Simons, J. A., Fietzek, U. M., Waldmann, A., Warnecke, T., Schuster, T. and Ceballos Baumann, A. O. (2014). 'Development and validation of a new screening questionnaire for dysphagia in early stages of Parkinson's disease'. *Parkinsonism & Related Disorders* 20(9), 992–998. <https://doi.org/10.1016/j.parkreldis.2014.06.008>
- Tomita, S., Oeda, T., Umemura, A., Kohsaka, M., Park, K., Yamamoto, K., Sugiyama, H., and Sawada, H. (2018). 'Video-fluoroscopic swallowing study scale for predicting aspiration

pneumonia in Parkinson's disease'. *PLOS One* 13(6), 1–14.

<https://doi.org/10.1371/journal.pone.0197608>

- Troche, M. S., Curtis, J. A., Sevitz, J. S., Dakin, A. E., Perry, S. E., Borders, J. C., Grande, A. A., Mou, Y., Vanegas-Arroyave, N. and Hegland, K. W. (2022). 'Rehabilitating cough dysfunction in Parkinson's Disease: a randomized controlled trial'. *Movement Disorders: Official Journal of the Movement Disorder Society* 38(2), 201–211. <https://doi.org/10.1002/mds.29268>
- Yorkston, K., Baylor, C. and Britton, D. (2017). 'Speech versus speaking: the experiences of people with Parkinson's disease and implications for intervention'. *American Journal of Speech-Language Pathology* 26(2S), 561–568. https://doi.org/10.1044/2017_ajslp-16-0087

Extended delivery of LSVT@LOUD

- Spielman, J., Ramig, L., Mahler, L., Halpern, A. and Gavin, W. J. (2007). 'Effects of an extended version of the Lee Silverman Voice Treatment on voice and speech in Parkinson's disease'. *American Journal of Speech-Language Pathology* 16(2), 95–107. [https://doi.org/10.1044/1058-0360\(2007/014\)](https://doi.org/10.1044/1058-0360(2007/014))

General

- De Pablo-Fernandez, E., Courtney, R., Holton, J. L. and Warner, T. W. (London, United Kingdom) (2016). 'Hypothalamic alpha-synuclein pathology and its relation to nonmotor symptoms and disease progression in Parkinson's disease'. *Movement Disorders: Official Journal of the Movement Disorder Society* 31(Suppl. 2), S96. Available at <https://www.mdsabstracts.org/abstract/hypothalamic-alpha-synuclein-pathology-and-its-relation-to-non-motor-symptoms-and-disease-progression-in-parkinsons-disease/>
- Gang, M., Nishio, Y., Baba, T., Takeda, A. and Mori, E. (Sendai, Japan) (2016). 'Correlations among motor, cognitive, and neuropsychiatric symptoms in Parkinson's disease without dementia'. *Movement Disorders: Official Journal of the Movement Disorder Society* 31(Suppl. 2), pS96.
- MacMahon, D. G. and Thomas, S. (1998). 'Practical approach to quality of life in Parkinson's disease: the nurse's role'. *Journal of Neurology* 245(1), S19–22. <https://doi.org/10.1007/pl00007732>
- Rodriguez-Blazquez, C., Rizos, A., Chaudhuri, K. R., Martinez-Martin, P., NILS, EUROPAR and the IPMDS Non Motor PD Study Groups (Madrid, Spain) (2016). 'Non-motor symptoms trajectory in Parkinson's disease: magnitude and importance of the change'. *Movement Disorders: Official Journal of the Movement Disorder Society*

- 31(Suppl. 2), pS96. Available at: <https://www.mdabstracts.org/abstract/non-motor-symptoms-trajectory-in-parkinsons-disease-magnitude-and-importance-of-the-change/>
- Rusz, J., Hlavnička, J., Novotný, M., Tykalova, T., Pelletier, A., Montplaisir, J., Gagnon, F., Dušek, P., Galbiati, A., Marelli, S., Timm, P. C., Teigen, L. N., Janzen, A., Habibi, M., Stefani, A., Holzknacht, E., Seppi, K., Evangelista, E., Razu, A. L., Dauvilliers, Y., Högl, B., Oertel, W., St. Louis, E. K., Ferini-Strambi, L., Růžička, E., Postuma, R. B. and Šonka, K. (2021). 'Speech biomarkers in rapid eye movement sleep disorder and Parkinson disease'. *Annals of Neurology* 90(1), 62–75. <https://doi.org/10.1002/ana.26085>
 - Rusz, J., Hlavnička, J., Tykalová, T., Novotný, M., Dušek, P., Šonka, K. and Růžička, E. (2018). 'Smartphone allows capture of speech abnormalities associated with high risk of developing Parkinson's disease'. *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, (6)8), 1495–1507. <https://doi.org/10.1109/TNSRE.2018.2851787>
 - Sharpe, G., Macerollo, A., Fabbri, M. and Tripoliti, E. (2020). 'Non-pharmacological treatment challenges in early Parkinson's disease for axial and cognitive symptoms: a mini review'. *Frontiers in Neurology* 11(576569). <https://doi.org/10.3389/fneur.2020.576569>
 - Tong, T. E., Ng, M. L. and Yan, N. (Hong Kong, Hong Kong) (2016). 'Impact of expiratory muscle strength training (EMST) on phonatory performance in Parkinson's patients'. *Movement Disorders: Official Journal of the Movement Disorder Society* 31(Suppl. 2), pS96.

Intensity of intervention

- Baumann, A., Nebel, A., Granert, O., Giehl, K., Wolff, S., Schmidt, W., Baasch, C., Schmidt, G., Witt, K., Deuschl, G., Hartwigsen, G., Zeuner, K. E. and van Eimeren, T. (2018). 'Neural correlates of hypokinetic dysarthria and mechanisms of effective voice treatment in Parkinson disease'. *Neurorehabilitation and Neural Repair* 32(12), 1055–1066. <https://doi.org/10.1177/1545968318812726>
- Levy, E. S., Moya-Galé, G., Chang, Y. H. M., Freeman, K., Forrest, K., Brin, M. F. and Ramig, L. A. (2020). 'The effects of intensive speech treatment on intelligibility in Parkinson's disease: a randomized controlled trial'. *eClinicalMedicine* 24, 100429. <https://doi.org/10.1016%2Fj.eclinm.2020.100429>
- Narayana, S., Franklin, C., Peterson, E., Hunter, E. J., Robin, D. A., Halpern, A., Spielman, J., Fox, P. T. and Ramig, L. O. (2022). 'Immediate and long-term effects of speech treatment targets and intensive dosage on Parkinson's disease dysphonia and the speech motor network: randomized controlled trial'. *Human Brain Mapping* 43(7), 2328–2347. <https://doi.org/10.1002/hbm.25790>

- Ramig, L. O., Halpern, A., Spielman, J., Fox, C. and Freeman, K. (2018). 'Speech treatment in Parkinson's disease: randomized controlled trial (RCT)'. *Movement Disorders: Official Journal of the Movement Disorder Society* 33(11), 1777–1791. <https://doi.org/10.1002/mds.27460>
- Schulz, G., Halpern, A., Spielman, J., Ramig, L., Panzer, I., Sharpley, A. and Freeman, K. (2021). 'Single word intelligibility of individuals with Parkinson's disease in noise: pre-specified secondary outcome variables from a randomized control trial (RCT) comparing two intensive speech treatments (LSVT LOUD vs. LSVT ARTIC)'. *Brain Sciences* 11(7), 857. <http://dx.doi.org/10.3390/brainsci11070857>

Models of care

- Tönges, L., Buhmann, C., Eggers, C., Lorenzi, S., Warnecke, T., for the German Parkinson guideline group. (2024). 'Guideline "Parkinson's disease" of the German Society of Neurology (Deutsche Gesellschaft für Neurologie): concepts of care'. *Journal of Neurology* 6. <https://doi.org/10.1007/s00415-024-12546-3>

Saliva

- Cardoso, F. (2018). 'Botulinum toxin in parkinsonism: the when, how, and which for botulinum toxin injections'. *Toxicon* 147, 107–110. <https://doi.org/10.1016/j.toxicon.2017.08.018>
- Dallal-York, J. and Troche, M. S. (2024). 'Hypotussic cough in persons with dysphagia: biobehavioural interventions and pathways to clinical implementation'. *Frontiers in Rehabilitation Science* 5. <https://doi.org/10.3389/fresc.2024.1394110>
- Limbrock, G. J., Fischer-Brandies, H. and Avasle, C. (1991). 'Castillo-Morales' orofacial therapy: treatment of 67 children with Down syndrome'. *Developmental Medicine & Child Neurology* 33(4), 296–303. <https://doi.org/10.1111/j.1469-8749.1991.tb14880.x>
- McNaney, R., Miller, N., Vines, J., Olivier, P., Ladha, K., Jackson, D. and Walker, R. (2019). 'The feasibility and acceptability of using a novel wrist worn cueing device to self-manage drooling problems in people with Parkinson's disease: a pilot study'. *Journal of Rehabilitation and Assistive Technologies Engineering*, 6, 1–11. <https://doi.org/10.1177/2055668319852529>
- Merello, M. (2008). 'Sialorrhoea and drooling in patients with Parkinson's disease'. *Drugs & Aging* 25, 1007–1009. <https://doi.org/10.2165/0002512-200825120-00003>
- Morgante, F., Bavikatte, G., Anwat, F. and Mohamed, B. (2019). 'The burden of sialorrhoea in chronic neurological conditions: current treatment options and the role of incobotulinumtoxinA (Xeomin®)'. *Therapeutic Advances in Neurological Disorders*, 12, 1–21.

<https://doi.org/10.1177/1756286419888601>

- Seppi, K., Ray Chaudhuri, K., Coelho, M., Fox, S. H., Katzenschlager, R., Perez Lloret, S., Weintraub, D., Sampaio, C. and the collaborators of the Parkinson's Disease Update on Non-Motor Symptoms Study Group on behalf of the Movement Disorders Society Evidence-Based Medicine Committee (2019). 'Update on treatments for nonmotor symptoms of Parkinson's disease—an evidence-based medicine review'. *Movement Disorders: Official Journal of the Movement Disorder Society* 34(2), 180–198. <https://doi.org/10.1002/mds.27602>
- South, A. R., Somers, A. M. and Jog, A. S. (2010). 'Gum chewing improves swallow frequency and latency in Parkinson patients: a preliminary study'. *Neurology* 74, 1198–1202. <https://doi.org/10.1212/WNL.0b013e3181d9002b>
- Wilmington healthcare (2021). *Sialorrhoea: care pathway*. Available at: <https://hsjinformation.co.uk/sites/default/files/2024-07/Development-of-an-Integrated-Care-Pathway-for-Sialorrhoea-Wilmington-Healthcare-Dec-21.pdf> (Accessed 24 October 2025)

Speech and voice

- Brabenec, L., Klobusiakova, P., Simko, P., Kostalova, M., Mekyska, J. and Rektorova, I. (2021). 'Non-invasive brain stimulation for speech in Parkinson's disease: a randomized controlled trial'. *Brain Stimulation* 14(3), 571–578. <https://doi.org/10.1016/j.brs.2021.03.010>

Swallowing assessment tools

- Nienstedt, J. C., Bihler, M., Niessen, A., Plaetke, R., Pötter-Nerger, M., Gerloff, C., Buhmann, C., and Pflug, C. (2019). 'Predictive clinical factors for penetration and aspiration in Parkinson's disease'. *Neurogastroenterology & Motility* 31(3), e13524. <https://doi.org/10.1111/nmo.13524>
- Pflug, C., Bihler, M., Emich, K., Niessen, A., Nienstedt, J. C., Flügel, T., Koseki, J.-C., Plaetke, R., Hidding, U., Gerloff, C. and Buhmann, C. (2018). 'Critical dysphagia is common in Parkinson disease and occurs even in early stages: a prospective cohort study'. *Dysphagia* 33, 41-50. <https://doi.org/10.1007/s00455-017-9831-1>
- Pflug, C., Niessen, A., Buhmann, C. and Bihler, M. (2019). 'Swallowing speed is no adequate predictor of aspiration in Parkinson's disease'. *Neurogastroenterology & Motility* 31(12), e13713. <https://doi.org/10.1111/nmo.13713>
- Suttrup, I. and Warnecke, T. (2016). 'Dysphagia in Parkinson's disease'. *Dysphagia*, 31(1), 24–32. <https://doi.org/10.1007/s00455-015-9671-9>

- Warnecke, T., Labeit, B., Schroeder, J., Reckels, A., Ahring, S., Lapa, S., Muhle, P., Suntrup-Kruegar, S. and Dziewas, R. (2021). 'Neurogenic dysphagia: systematic review and proposal of a classification system'. *Neurology*, 96, e876–e889.
<https://doi.org/10.1212/WNL.000000000011350>

Swallowing treatments

- Athukorala, R. P., Jones, R. D., Sella, O. and Huckabee, M. L. (2014). 'Skill training for swallowing rehabilitation in patients with Parkinson's disease'. *Archives of Physical Medicine and Rehabilitation*, 95(7), 1374–1382. <https://doi.org/10.1016/j.apmr.2014.03.001>
- Baijens, L. W. K., Speyer, R., Passos, V. L., Pilz, W., van der Kruis, J., Haarmans, S. and Desjardins-Rombouts, C. (2013). 'Surface electrical stimulation in dysphagic parkinson patients: a randomized control trial'. *The Laryngoscope* 123(11), ppe38–e44.
<https://doi.org/10.1002/lary.24119>
- Borders, J. C., Sevitz, J. S., Curtis, J. A., Vanegas-Arroyave, N. and Troche, M. S. (2023). 'Quantifying impairment in swallowing safety and efficiency in progressive supranuclear palsy and Parkinson's disease'. *Dysphagia* 38, 1342–1352. <https://doi.org/10.1007/s00455-023-10560-7>
- Buhmann, C., Bihler, M., Emich, K., Hidding, U., Pötter-Nerger, M., Gerloff, C., Niessen, A., Flügel, T., Koseki, J-C., Nienstedt, J. C. and Pflug, C. (2019). 'Pill swallowing in Parkinson's disease: a prospective study based on flexible endoscopic examination of swallowing'. *Parkinsonism & Related Disorders* 62, 51–56. <https://doi.org/10.1016/j.parkreldis.2019.02.002>
- Logeman, J. A., Fisher, H. B., Boshes, B. and Blonsky, E. R. (1978). 'Frequency and cooccurrence of vocal tract dysfunctions in the speech of a large sample of Parkinson patients'. *The Journal of Speech and Hearing Disorders* 43(1), 47–57. <https://doi.org/10.1044/jshd.4301.47>
- Logemann, J. A., Gensier, G., Robbins, J-A., Lindblad, A. S., Brandt, D., Hind, J. A., Kosek, S., Dikeman, K., Kazandjian, M., Gramigna, G. D., Lundy, D., McGarvey-Toler, S. and Gardner, P. J. M. (2008). 'A randomized study of three interventions for aspiration of thin liquids in patients with dementia or Parkinson's disease'. *Journal of Speech, Language, and Hearing Research* 51(1), 173–183. [https://doi.org/10.1044/1092-4388\(2008\)013](https://doi.org/10.1044/1092-4388(2008)013)
- Manor, Y., Mootanah, R., Freud, D., Giladi, N. and Cohen, J. T. (2013). 'Video-assisted swallowing therapy for patients with Parkinson's disease'. *Parkinsonism & Related Disorders* 19(2), 207–11.
<http://dx.doi.org/10.1016/j.parkreldis.2012.10.004>
- Park, A., Jang, S-J., Kim, N-E., Kim, T-H., Sohn, Y. H., Kim, H. H. and Cho, S-R. (2022). 'Swallowing outcomes following voice therapy in multiple system atrophy with dysphagia: comparison of treatment efficacy with Parkinson's disease'. *Dysphagia* 37, 198–206.

<https://doi.org/10.1007/s00455-021-10265-9>

- Royal College of Physicians (2021). *Supporting people who have eating and drinking difficulties*. 2nd ed. Available at: https://www.rcp.ac.uk/media/fw5pmtvw/supporting-people-who-have-eating-and-drinking-difficulties_3_0.pdf (Accessed 20 November 2024)
- Troche, M. S., Okun, M. S., Rosenbek, J. C., Musson, N., Fernandez, H. H., Rodriguez, R., Romrell, J., Pitts, T., Wheeler-Hegland, K. M. and Sapienza, C. M. (2010). 'Aspiration and swallowing in Parkinson disease and rehabilitation with EMST: a randomized trial'. *Neurology* 75(21), 1912–1919. <https://doi.org/10.1212%2FWNL.0b013e3181fef115>

Technology-enhanced delivery of LSVT LOUD: Tele-practice

- Constantinescu, G., Theodoros, D., Russell, T., Ward, E., Wilson, S. and Wootton, R. (2011). 'Treating disordered speech and voice in Parkinson's disease online: a randomized controlled non-inferiority trial'. *International Journal of Language and Communication Disorders* 46(1), 1–16. <https://doi.org/10.3109/13682822.2010.484848>
- Covert, L. T., Slevin, J. T. and Hatterman, J. (2018). 'The effect of telerehabilitation on missed appointment rates'. *International Journal of Telerehabilitation* 10(2), 65–72. <https://doi.org/10.5195/ijt.2018.6258>
- Griffin, M., Bentley, J., Shanks, J. and Wood, C. (2018). 'The effectiveness of Lee Silverman Voice Treatment therapy issued interactively through an iPad device: a non-inferiority study'. *Journal of Telemedicine and Telecare* 24(3), 209–215. <https://doi.org/10.1177/1357633X17691865>
- Gustafsson, J. K., Södersten, M., Ternström, S. and Schalling, E. (2019). 'Long-term effects of Lee Silverman Voice Treatment on daily voice use in Parkinson's disease as measured with a portable voice accumulator'. *Logopedics Phoniatrics Vocology* 44(3), 124–133. <https://doi.org/10.1080/14015439.2018.1435718>
- Howell, S., Tripoliti, E. and Pring, T. (2009). 'Delivering the Lee Silverman Voice Treatment (LSVT) by web camera: a feasibility study'. *International Journal of Language & Communication Disorders* 44(3), 287–300. <https://doi.org/10.1080/13682820802033968>
- Saiyed, M., Hill, A. J., Russell, T. G., Theodoros, D. G. and Scuffham, P. (2020). 'Cost analysis of home telerehabilitation for speech treatment in people with Parkinson's disease'. *Journal of Telemedicine and Telecare* 28(7). <https://doi.org/10.1177/1357633X20948302>
- Theodoros, D. G., Hill, A. J. and Russell, R. G. (2016). 'Clinical and quality of life outcomes of speech treatment for Parkinson's disease delivered to the home via telerehabilitation: a noninferiority randomized controlled trial'. *American Journal of Speech-Language Pathology* 25(2), 214–232. https://doi.org/10.1044/2015_ajslp-15-0005
- Tindall, L. R., Huebner, R. A., Stemple, J. C. and Kleinert, H. L. (2008). 'Videophone-delivered voice therapy: a comparative analysis of outcomes to traditional delivery for adults with

Parkinson's disease'. *Telemedicine and e-Health* 14(10), 1070–1077.

<https://doi.org/10.1089/tmj.2008.0040>