Using outcome measures in a new area of practice:
Long Covid




Sophie Chalmers

Speech & Language Therapist

Allied Health Clinical Academic











COVID-19 dysphonia—unconscious bias and the central role of speech and language therapists •

S D Taylor-Robinson

QJM: An International Journal of Medicine, hcab217,

https://doi.org/10.1093/qjmed/hcab217

Published: 04 August 2021 Article history ▼



Research Article 🙃 Open Access 🙃 📵

Persistent neurologic symptoms and cognitive dysfunction in non-hospitalized Covid-19 "long haulers"

Edith L. Graham, Jeffrey R. Clark, Zachary S. Orban, Patrick H. Lim, April L. Szymanski, Carolyn Taylor,

and Trans


Dysphagia

https://doi.org/10.1007/s00455-021-10396-z

REVIEW

An International Commentary on Dysphagia and Dysphonia During the COVID-19 Pandemic

Anna Miles¹ • Jackie McRae² • Gemma Clunie³ • Patricia Gillivan-Murphy⁴ • Yoko Mershen Pillay⁷ • Susan Pownall⁸ • Philippa Ratcliffe⁹ • Theresa Richard¹⁰ • Ursula Martin B. Brodsky¹³





Using outcome measures in a new area of practice:
Long Covid

Therapy Outcome Measures for Rehabilitation Professionals

Third Edition



 Revised and Updated

With CD


- Now Includes 47 Scales
- Gives Examples of Use

Pamela Enderby and Alexandra John

RCSLT Online Outcome Tool

Therapy Outcome Measures

Home Login Register







TOMS: Therapy Outcome Measures for Rehabilitation Professionals

Pam Enderby and Alexandra John



R05 Summary of mean and median change scores between initial and final TOMs rating (table)





Using outcome measures to shine light on SLT-needs in Long COVID at an individual level

